L Number	Hits	Search Text	DB	Time stamp
1	3319	code$1 near15 schedule$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:57
2	424	(barcode$1 or (bar adj1 code$1) or symbol) near15 schedule$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 12:58
3	65	(barcode$1 or (bar adj1 code$1) or symbol) near15 schedule$ near30 (equipment$1 or facilit$3 or car$1 or tool$1 or vehicle$1 or rent$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:01
4	1281	(barcode$1 or (bar adj1 code$1) or symbol) near15 (schedul$4 or reserv$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:01
5	211	(barcode$1 or (bar adj1 code$1) or symbol) near15 (schedul$4 or reserv$4) near30 information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:02
6	13	(barcode$1 or (bar adj1 code$1) or symbol) near15 (schedul$4 or reserv$4) near30 information near30 scan$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:07
7	38	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same information same (upcoming or next or future)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:09
8	67	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same information same (tool$1 or facilit$3 or equipment$1 or vehicle$1 or machine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:10
9	21	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same information same (tool$1 or facilit$3 or equipment$1 or vehicle$1 or machine$1) same scan$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:15
10	6	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same (acquir$4 or retriev$4) same scan$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:17
11	33	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same (acquir$4 or retriev$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:21
12	9	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same who$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:22
13	151	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same (user$1 or renter$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:22
14	6	(barcode$1 or (bar adj1 code$1) or symbol) same schedule same reserved	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:25

15	6	(barcode$1 or (bar adj1 code$1)) same schedule same users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:26
16	3403	schedul$4 near15 (barcode or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:27
17	191277	time$1 near15 user$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:27
18	193528	(schedul$4 near15 (barcode or code)) or (time$1 near15 user$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:27
19	1152	(schedul$4 near15 (barcode or code)) and (time$1 near15 user$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:27
21	95	schedul$4 near15 (barcode or code) near15 time$1 near30 (user$1 or member$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:29
22	0	schedul$4 near15 (barcode or code) near15 time$1 near30 (user$1 or member$1) near30 scan$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:29
23	3	schedul$4 near15 (barcode or code) near15 time$1 near30 (user$1 or member$1) near30 retriev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:29
20	95	schedul$4 near15 (barcode or code) near15 time$1 near30 (user$1 or member$1 or renter$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:32
24	0	schedul$4 near15 barcode near15 time$1 near30 (user$1 or member$1 or renter$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:32
25	4	schedul$4 near15 (bar adj1 code) near15 time$1 near30 (user$1 or member$1 or renter$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:33
26	11	schedul$4 near15 (label) near15 time$1 near30 (user$1 or member$1 or renter$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:34
27	65	schedul$4 same scan$4 same (retriev$3 or load$3) same input$1 same time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:38
28	0	schedul$4 same scan$4 same (retriev$3 or load$3) same input$1 same time same (barcode$1 or (bar adj1 code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:35

29	3	(schedul$4 same scan$4 same (retriev$3 or load$3) same input$1 same time) and (barcode$1 or (bar adj1 code$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:36
30	47	scan$4 same (barcode or (bar adj1 code)) same language$1 same select$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:39
31	4	(scan$4 same (barcode or (bar adj1 code))) adj100 (language$1 same select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:41
32	91	(scan$4) adj100 (language$1 same select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:44
33	0	((scan$4 same (barcode or (bar adj1 code))) adj100 (language$1 same select$3)) not (scan$4 same (barcode or (bar adj1 code)) same language$1 same select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:42
34	87	((scan$4) adj100 (language$1 same select$3)) not ((scan$4 same (barcode or (bar adj1 code))) adj100 (language$1 same select$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:42
35	0	(scan$4) adj100 (language$1 same select$3 same after)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 13:44